

# INDEX MAPS.

## T. 21N, R. 1W. 2<sup>nd</sup> Mer.

	137		137		137		136		136		136	
139	6	158	5	154	4	151	3	147	2	142	1	135
	157		157		153		150		146		142	
138	7	157	8	153	9	150	10	146	11	142	12	135
	157		156		153		149		145		141	
138	18	156	17	153	16	149	15	145	14	141	13	135
	156		156		152		149		144		140	
138	19	155	20	152	21	149	22	144	23	140	24	135
	155		155		152		148		144		140	
138	30	155	29	152	28	148	27	143	26	139	25	134
	155		154		151		148		143		139	
138	31	154	32	151	33	147	34	143	35	139	36	134
	134		134		133		133		133		133	

## T. 22N, R. 1W. 2<sup>nd</sup> Mer.

	166		165		165		166		164		164	
168	6	188	5	184	4	180	3	176	2	172	1	164
	189		188		184		180		175		171	
167	7	188	8	183	9	179	10	175	11	171	12	164
	189		187		183		179		175		171	
167	18	187	17	183	16	179	15	174	14	170	13	163
	189		186		182		178		174		170	
167	19	186	20	182	21	178	22	174	23	169	24	163
	190		186		182		177		173		169	
166	30	185	29	181	28	177	27	173	26	169	25	163
	190		185		181		177		172		168	
166	31	185	32	180	33	176	34	172	35	168	36	162
	162		162		161		161		161		161	

The figures on the lines refer to the page.

161

Township N. 22 North, Range N. 7 West 2. Mer. Indiana.

*Township Lines.*

*South Boundary, Var. 5° 45' E.*

*West on the S. Boundary of Sec. 36*

40.00 set of sec. port from which

a Sugar 24 in. dia. bears S 25° E 50 Ms. dist. &

a Beech 24 " " " N 22° W 7 " "

75.00 a Brook 15 Ms. wide course N 9° W

80.00 set port cen. of sec. 35 & 36 from which

a W. Oak 27 in. dia. bears N 50° E 33 Ms. dist. &

a Beech 12 " " " S 50° W 26 " "

Land nearly 1. Rate, timber Beech, Sugar,  
Oak, Walnut

---

*West on the S. Boundary of Sec. 35*

8.00 same Brook course S 9° W

40.00 set of sec. port from which

a W. Oak 24 in. dia. bears N 16° W 25 Ms. dist. &

a B. Walnut 30 " " " S 51° W 14 " "

67.50 a Brook 20 Ms. wide course N

80.00 a Brook 40 " " " N

80.00 set port cen. of sec. 34 & 35 from which

a W. Ash 10 in. dia. bears East 50 Ms. dist. &

a Spruce 12 " " " West 131 " "

Land 1. Rate, timber same as last noted

---

*West on the S. Boundary of Sec. 34*

40.00 set of sec. port from which

a Beech 10 in. dia. bears N 30° W 4 Ms. dist. &

a Hickory 27 " " " S 59° E 30 " "

80.00 set port cen. of sec. 33 & 34 from which

a Elm 9 in. dia. bears S 37° W 14 Ms. dist. &

a S. Oak 36 " " " N 65° W 31 " "

Land 1. Rate, rich & good for farming

---

*West on the S. Boundary of Sec. 33*

40.00 set of sec. port from which

T. 22 N., R. 1 W. 2. Mer. Ind. ?  
Ch. 24.

a Buckeye 9 in. di. bears S 87 E 38 M. dist. 8  
a Beech 6 " " " N 37 W 21 " "  
51.00 at Brook 10 M. wide course N  
80.00 set part cor. of sec. 32 & 33 from which  
a Hickory 12 in. di. bears N 44 E 26 M. dist. 8  
a B. Jack 18 " " " S 42 W 37 M. dist.  
Land 1<sup>st</sup> rate, timber same as last noted

West on the S. Boundary of Sec. 32

1.00 enters a Prairie  
10.00 passed "  
40.00 set q. sec. part from which  
a Maple 30 in. di. bears S 77 E 21 M. dist. 8  
a Do 24 " " " N 79 W 19 " "  
80.00 set part cor. of sec. 31 & 32 from which  
a Sugar 30 in. di. bears N 44 W 22 M. dist. 8  
a Do 30 " " " S 65 E 13 " "  
Land &c. same as on the last mile.

West on the S. Boundary of Sec. 31

9.00 enters wet Prairie  
25.00 passed "  
40.00 set q. sec. part from which  
a W. Oak 30 in. di. bears S 71 E 27 M. dist. 8  
a Sugar 30 " " " N 68 W 5 " "  
74.33 Intersect Range line 56 M. N. of temp. Towns.  
Cor. set part at intersection cor. of T. 21 & 22 N.,  
R. 1 & 2 W from which  
a Beech 30 in. di. bears S 30 W 23 M. dist. 8  
a W. Walnut 27 " " " N 59 E 37 " "  
Land &c. the same as on the last mile.

Second Principal Meridian or  
East Boundary, Var. 5° 45' E.  
North on the E. Boundary of Sec. 36  
November 19, 1819

## T. 22 N., R. 14 W. E. Mer. Ind.

Ch. 2 Ch.

40.00 set g. sec. post from which

a W. Oak 30 in. diam bears S 55° W 14 Ms. dist. 8

a Do 30 " " " N 68° E 28 " "

80.00 set post cor. of sec. 25 &amp; 36 from which

a W. Oak 24 in. diam bears S 39° W 28 Ms. dist. 8

a W. Ash 9 " " " N 34° E 27 " "

Good 2<sup>d</sup> rate land, Timber Beech, Sugar, Oak, Ash,  
Poplar. Good farming land

North on the E. Boundary of Sec. 25

38.00 a Creek 40 Ms. wide course S W

40.00 set g. sec. post from which

a Beech 12 in. diam bears N 16° E 9 Ms. dist. 8

a W. Oak 12 " " " S 13° W 37 " "

80.00 set post cor. of sec. 24 &amp; 25 from which

a W. Oak 27 in. diam bears S 82° W 12 Ms. dist. 8

a Beech 12 " " " N 82° E 38 " "

Land rolling rich &amp; good for farming, timber same

North on the E. Boundary of Sec. 24

40.00 set g. sec. post from which

a Hickory 9 in. diam bears S 35° W 15 Ms. dist. 8

a S. Oak 27 " " " S 30° E 6 " "

80.00 set post cor. of sec. 13 &amp; 24 from which

a Beech 20 in. diam bears S 10° E 10 Ms. dist. 8

a Do 18 " " " N 7° E 47 " "

Land same as on the last mile

North on the E. Boundary of Sec. 13

7.00 a Creek 60 Ms. wide course W

40.00 set g. sec. post from which

a Beech 12 in. diam bears N 27° W 20 Ms. dist. 8

a Do 9 " " " N 60° E 35 " "

80.00 set post cor. of sec. 12 &amp; 13 from which

a Beech 18 in. diam bears N 16° E 21 Ms. dist. 8

a Do 14 " " " S 51° E 41 " "



## T. 22 N., R. 1 W. 2. Mer. Ind. a.

Chs. 24.

Land v. same as on the last mile

## North on the E. Boundary of Sec. 12

40.00 set g. sec. part from which

a Hickory 9 in. diameter S 86 E 9 lbs. dirt. 3

a Beech 27 " " " N 75 W 15 " "

80.00 set part cor. of sec. 1 &amp; 12 from which

a Buckeye 9 in. diameter S 9 W 21 lbs. dirt. 3

a W. Ash 9 " " " N 9 E 19 " "

Land v. similar to that on the last mile

## North on the E. Boundary of Sec. 1

5.00 a Brook 8 lbs. wide course W

10.00 a Do 10 " " " W

40.00 set g. sec. part from which

a W. Oak 30 in. diameter S 55 W 13 lbs. dirt. 3

a B. Ash 9 " " " N 38 W 14 " "

55.00 a Brook 5 lbs. wide course W

80.00 set part cor. of T. 22 &amp; 23 N., R. 1 W from which

a W. Ash 9 in. diameter S 43 E 19 lbs. dirt. 3

a W. Oak 40 " " " N 27 W 43 " "

Land similar to that on the last mile. 2 rats

## North Boundary. Var. 5° 45' E.

## West on the S. Boundary of Sec. 36, T. 23 N., R. 1 W

40.00 set g. sec. part from which

a W. Oak 36 in. diameter N 39 W 20 lbs. dirt. 3

a Beech 7 " " " S 25 W 23 " "

63.00 a Brook 15 lbs. wide course N.

80.00 set part cor. of sec. 35 &amp; 36 from which

a Sugar 12 in. diameter N 34 W 29 lbs. dirt. 3

a Beech 12 " " " S 43 E 41 " "

Land level, timber Beech, Sugar, Oak, Ash,  
Walnut. Good farming land

## West on the S. Boundary of Sec. 35, T. 23 N., R. 1 W

## T. 22 N., R. 19 W. 2. Mer. Ind.?

Ch. 2. 1st.

20.00 a Creek 20 lbs. wide course S 9 W

37.50 same Creek course N 9 W

40.00 set of sec. part from which

a Beech 12 in. diameter N 10 W 18 lbs. dirt. 3

a Sugar 12 " " " S 30 E 37 " "

60.00 same Creek course S 9 W

70.00 do do " N 9 W

80.00 set part cor. of sec. 34 &amp; 35 from which

a Sugar 10 in. diameter N 30 E 29 lbs. dirt. 3

a do 12 " " " S 21 E 19 " "

Land &amp; the same as on the last mile

West on the S. Boundary of Sec. 34, T. 23 N., R. 1 W

40.00 set of sec. part from which

a Beech 18 in. diameter S 20 E 11 lbs. dirt. 3

a do 10 " " " N 58 W 15 " "

58.00 a Brook 6 lbs. wide course N 9 W

68.00 a do 6 " " " N

80.00 set part cor. of sec. 33 &amp; 34 from which

a Hickory 10 in. diameter S 84 E 19 lbs. dirt. 3

a Beech 24 " " " N 60 W 41 " "

Land &amp; same as on the last mile

West on the S. Boundary of Sec. 33, T. 23 N., R. 1 W

40.00 set of sec. part from which

a Hickory 10 in. diameter N 13 W 8 lbs. dirt. 3

an Elm 11 " " " S 80 W 14 " "

43.00 a Brook 8 lbs. wide course W

80.00 set part cor. of sec. 32 &amp; 33 from which

a W. Oak 14 in. diameter N 13 W 16 lbs. dirt. 3

a Sugar 7 " " " S 41 E 18 " "

Land & the same as on the last mile. Good  
farming land

West on the S. Boundary of Sec. 32, T. 23 N., R. 1 W

10.00 a Brook 8 lbs. wide course N

## T. 22 N., R. 1 W., 2. Mer. Ind. a

Chas. L. H.

40.00 set of sec. part from which

a W. Ash 8 in. diameter N 25 E 18 W. dist. 3

a Hickory 12 " " S 2 E 26 " "

80.00 set part cor. of sec. 31 &amp; 32 from which

a B. Ash 6 in. diameter N 28 W 6 W. dist. 3

a Do 7 " " S 16 W 16 " "

Land level & rate, timber Oak, Beech, Ash, Elm,  
Lynx. Middling farming land.

West on the S. Boundary of Sec. 31, T 23 N., R 1 W

40.00 set of sec. part from which

a B. Ash 5 in. diameter East 265 W. dist. 3

an Elm 11 " " West 129 " "

71.63 Intersect Range line 114 W. S. of temp. Towns. cor.

set part at intersection cor. of T. 22 &amp; 23 N., R. 1 &amp; 2 W.

from which a Sycamore 2 in. diameter N 62 W 7 W. dist.

a Do 30 " " N 33 E 14 " "

Land &amp;c. similar to that on the last mile.

Middling good farming land

West Boundary. Var. 6° 10' E.

North on the E. Boundary of Sec. 36, T 22 N., R 2 W

November 18<sup>th</sup> 1819

40.00 set of sec. part from which

a Sugar 27 in. diameter N 48 E 22 W. dist. 3

a Do 20 " " S 30 W 46 " "

80.00 set part cor. of sec. 25 &amp; 36 from which

a Beech 14 in. diameter S 79 E 19 W. dist. 3

a Do 14 " " N 41 W 16 " "

Land of the best quality & well timbered with  
Oak, Poplar, Beech, Sugar, Walnut &c.

North on the E. Boundary of Sec. 25, T 22 N., R 2 W

13.00 a Brook 6 W. wide course N 9 W

27.50 a Creek 70 " " N 9 W

40.00 set of sec. part from which

## T. 22 N., R. 19 W., E. Mer. Ind. a.

Chs. Chs.

a Buckeye 6 in. dis. bears S 5 E 3 1/2 Ms. dist. 4

" " " N 3 1/2 W 23 " "

44.00 a Brook 5 Ms. wide course W

80.00 set part cor. of sec. 24 &amp; 25 from which

a Sugar 24 in. dis. bears S 20 W 24 Ms. dist. 8

a Poplar 36 " " " N 16 E 15 " "

Land similar to that on the last mile. Very rich  
& good for farming

## North on the E. Boundary of Sec. 24, T. 22 N., R. 2 W.

40.00 set g. sec. part from which

a Sugar 9 in. dis. bears S 57 W 3 Ms. dist. 8

a Do 8 " " " N 1 E 21 " "

67.50 a Creek 60 Ms. wide course W

80.00 set part cor. of sec. 13 &amp; 24 from which

a Poplar 9 in. dis. bears S 65 W 4 Ms. dist. 8

a Beech 8 " " " S 66 E 31 " "

Land similar, mostly T. prairie, timber Beech,  
Sugar, Oak, Poplar &c.

## North on the E. Boundary of Sec. 13, T. 22 N., R. 2 W.

40.00 set g. sec. part from which

an Ironwood 7 in. dis. bears S 15 E 28 Ms. dist. 8

a Do 6 " " " N 68 E 20 " "

80.00 set part cor. of sec. 12 &amp; 13 from which

a W. Oak 27 in. dis. bears S 5 E 28 Ms. dist. 8

a Do 12 " " " N 19 E 8 " "

Land level & prairie, timber Oak, Hickory, Ash,  
Elm. Good farming land

## North on the E. Boundary of Sec. 12, T. 22 N., R. 2 W.

40.00 set g. sec. part from which

a W. Ash 8 in. dis. bears N 57 W 4 Ms. dist. 8

a Beech 30 " " " N 40 E 35 " "

65.00 enter Swamp

70.00 passed "



T. 22 N., R. 1 W. 2. Mer. Ind. a.  
 Ch. Sh.

80.00 set part cor. of sec. 1 & 2 from which  
 a B. Walnut 12 in. diameter South 7 Ms. dist. 8  
 a W. Ash 12 " " " North 13 " "  
 Land & same as on the last mile

North on the E. Boundary of Sec. 1, T. 22 N., R. 2 W.

40.00 set q. sec. part from which  
 a Beech 12 in. diameter S 67° E 9 Ms. dist. 8  
 a Sugar 11 " " " N 11° W 18 " "

42.00 a Brook 10 Ms. wide course W

78.00 a Do 10 " " " N 4 W

80.00 set temp. Township corner

1 1/2 mile rich & good for farming.

Surveyed in 1819 by William Harris  
 Dep. Surveyor.

Subdivision, Var. 5. & 45. E.

North between Sec. 35 & 36, T. 22 N., R. 1 W.

20.75 a Beech 18 in. dia.

40.00 set q. sec. part from which

a Beech 12 in. diameter North 2 Ms. dist. 8

a R. Oak 40 " " " S 57° E 42 " "

60.12 an Elm 6 " "

80.00 set part cor. of sec. 25, 26, 35 & 36 from which

a Beech 15 in. diameter S 59° E 28 Ms. dist. 8

a Do 17 " " " N 40° E 19 " "

Land level 2. rate, timber W. Oak, Hackberry,  
 Hickory, Beech, Sugar & W. Spruce &.

East on Random between Sec. 25 & 36

40.00 set temp. q. sec. part

79.34 Intersect East Boundary 35 Ms. E. of part -

Land level rich, timber Oak, Beech & B. Wal-  
 nut & W. Spruce &.

West Corrected between Sec. 25 & 36

T22 N., R. 1 W., T. 2 Mer. Ind. a.

Chs. 8th.

20.18 a Buckeye 6 in. dia.

39.67 set of gr. sec. part at aver. dist. from which  
a Beech 26 in. dia. bears West 2 Ms. dist. 8  
a Do 20 " " " N40E69 " "

79.34 to sec. cor.

North between Sec. 25 & 26

20.65 a Buckeye 20 in. dia.

21.60 a Stream 35 Ms. wide. course W. rapid & shallow

40.00 set of gr. sec. part from which  
a B. Oak 22 in. dia. bears S59E39 Ms. dist. 8  
a Beech 9 " " " S72W16 " "

65.30 a B. Oak 22 " "

80.00 set part cor. of sec. 23, 24, 25 & 26 from which  
an Elm 22 in. dia. bears N37E18 Ms. dist. 8  
a Do 18 " " " N45W7 " "

Land level Spruce, timber Hickory, Poplar,  
Beech & Myr. Spice &

East on Random between Sec. 24 & 25

40.00 set temp. gr. sec. part

79.91 Intersect E. Boundary 7 Ms. N. of part -  
Land level Spruce, timber W. Oak, Beech, Elm,  
& Myr. Spice, Ironwood &

West Corrected between Sec. 24 & 25

20.80 a Beech 18 in. dia.

39.95 set of gr. sec. part at aver. dist. from which  
a Beech 34 in. dia. bears S38E4 Ms. dist. 8  
a Do 24 " " " N52W23 " "

60.51 a W. Oak 16 " "

79.91 to sec. cor.

North between Sec. 23 & 24

23.25 a Sugar 18 in. dia.

40.00 set of gr. sec. part from which

T. 22 N., R. 19 W. 2<sup>d</sup> Mer. Ind. a

Cott. &amp; Lk.

a Beech 18 in. dia bears S 54 E 14 lbs. dist. 8  
 a Do 21 " " " S 46 W 23 " "  
 62.88 a Do 18 " "  
 80.00 set pt. cen. of sec. 13, 14, 23 & 24 from which  
 a Beech 6 in. dia bears N 69 E 20 lbs. dist. 8  
 a Do 12 " " " S 86 W 48 " "  
 Land level 2<sup>d</sup> rate, timber Beech, W. Ash,  
 Poplar, Upr. Spice &c.

---

## East on Random between Sec. 13 &amp; 24

0.56 a Stream 60 lbs. wide course W. gentle & shallow  
 42.05 a Do 55 " " " S 35 W  
 79.15 Intersect E. Boundary 4 lbs. S. of pt. -  
 Land level rich, timber Beech, Ash, Sugar, Elm,  
 Hackberry &c. Upr. Spice &c. May 18. 1821

---

## West Corrected between Sec. 13 &amp; 24

20.15 a Beech 20 in. dia.  
 39.57 set of sec. pt. at aver. dist. from which  
 a B. Oak 22 in. dia bears N 63 E 21 lbs. dist. 8  
 a Sugar 20 " " " N 57 W 32 " "  
 61.83 a Hackberry 18 " "  
 79.15 sec. cor.

---

## North between Sec. 13 &amp; 14

0.44 a Stream 55 lbs. wide course W. gentle & shallow  
 21.27 a W. Oak 20 in. dia.  
 40.00 set of sec. pt. from which  
 an Ironwood 6 in. dia bears N 73 W 24 lbs. dist. 8  
 a Beech 20 " " " N 48 E 18 " "  
 62.00 a Sugar 12 " "  
 80.00 set pt. cen. of sec. 11, 12, 13 & 14 from which  
 a Beech 18 in. dia bears N 60 E 9 lbs. dist. 8  
 a Do 15 " " " S 46 W 35 " "  
 Land level 2<sup>d</sup> rate, timber W. Oak, Beech, Hickory,  
 Sugar &c. Upr. Spice &c.

---

*T. D. N., R. 1 W. 2, Mer. Ind. a.*  
*Els. Els.*

East on Random between Sec. 12 & 13

40.00 set temp. g. sec. port

79.22 Intersect E. Boundary 8 Ms. S. of port -

Land level 2. rate, timber Beech, Hickory, W. Oak,  
 v. Upr. Spice, Ash &c.

West Connected between Sec. 12 & 13

19.93 a W. Oak 20 in. dia.

39.61 set g. sec. port at over. dist. from which

a Beech 18 in. dia. bears S 36° W 28 Ms. dist. 2

a W. Oak 20 " " " N 71° E 22 " "

64.13 a Beech 17 " "

79.22 to sec. cor.

North between Sec. 11 & 12

20.91 a Sugar 11 in. dia.

40.00 set g. sec. port from which

a W. Oak 34 in. dia. bears N 20° W 21 Ms. dist. 2

a Beech 16 " " " S 16° W 36 " "

60.62 a Do 22 " "

80.00 set port cor. of Sec. 1, 2, 11 & 12 from which

an Ash 20 in. dia. bears S 36° W 5 Ms. dist. 2

an Elm 18 " " " N 20° W 15 " "

Land level 2. rate, timber Beech, Ash, W. Oak,  
 Elm & Upr. Spice, Ash &c.

East on Random between Sec. 10 & 12

40.00 set temp. g. sec. port

79.08 Intersect E. Boundary 25 Ms. S. of port -

Land level 2. rate, timber Beech, Ash, W. Oak,  
 Elm & Upr. Spice, Ironwood &c.

West Connected between Sec. 10 & 12

19.17 an Elm 22 in. dia.

39.54 set g. sec. port at over. dist. from which

a W. Oak 24 in. dia. bears S 71° W 21 Ms. dist. 2



T. 22 N., R. 1 W. 2<sup>d</sup> Mer. Ind. a

Elev. 240

a Beech 18 in. diam bears N 51 E 14 Ms. dist.  
 60.92 a Sugar 18 " "  
 79.08 to sec. cn.

## North between Sec. 1 &amp; 2

21.86 a Hickory 8 in. dia.

40.00 set of sec. post from which  
 an Elm 20 in. diam bears S 16 E 12 Ms. dist. 8  
 an Ash 12 " " " N 54 E 9 " "

61.71 a Beech 12 " "

80.46 Intersect N. Boundary 131 Ms. E. of post -

set post at intersection cn. of sec. 1 &amp; 2 from which

a B. Walnut 30 in. diam bears N 80 W 3 Ms. dist. 8

a Beech 14 " " " S 49 E 11 1/2 " "

Sand level State, timber Beech, Ash, W. Oak &amp;c.

Upr. Spice &amp;c. May 19. 1821

## North between Sec. 34 &amp; 35

12.25 a Stream 40 Ms. wide course W

15.00 a Do 44 " " " N 25 E. gentle &amp; shallow

21.22 a B. Walnut 22 in. dia.

34.95 a Stream 45 Ms. wide course W. rapid &amp; shallow

40.00 set of sec. post from which

a Beech 20 in. diam bears N 11 W 36 Ms. dist. 8

a B. Oak 22 " " " S 17 E 32 " "

62.34 a Sugar 11 " "

80.00 set post cn. of sec. 26, 27, 34 &amp; 35 from which

a Hackberry 18 in. diam bears N 52 W 20 Ms. dist. 8

an Elm 20 " " " S 52 E 60 " "

Sand State, timber Ash, B. Walnut, Buckeye,  
 & Upr. Spice &c.

## East on Random between Sec. 26 &amp; 35

2.50 a Stream 30 Ms. wide course W. rapid &amp; shallow

7.50 a Do 45 " " " S 45 E " " "

40.00 set temp. g. sec. post

# T. 22. N., R. 1 W. E. Mer. Ind. a

Ch. Lk.

79.71 Intersect N. S. line 5<sup>1</sup>/<sub>2</sub> Ms. S. of port -  
Land 1<sup>1</sup>/<sub>2</sub> miles S. rate, 2<sup>1</sup>/<sub>2</sub> miles S. rate, timber  
Walnut, Sugar & Upr. Spice &c.

West Connected between Sec. 26 & 35

22.21 a Buckeye 8 in. dia.

39.85 set of sec. port at aver. dist. from which  
a Sugar 18 in. dia. bears N 80° E 9 Ms. dist. 3  
a Do 15 " " " N 20° E 31 " "

79.71 to sec. cr.

North between Sec. 26 & 27

1.57 a Stream 50 Ms. wide course N. shallow & gentle

25.26 a Hickory 15 in. dia.

40.00 set of sec. port from which  
a Cherry 14 in. dia. bears S 11° W 15 Ms. dist. 3  
an Elm 16 " " " N 67° E 29 " "

61.68 a Beech 20 " "

80.00 set port cr. of sec. 22, 23, 26 & 27 from which  
a Beech 10 in. dia. bears S 72° E 3 Ms. dist. 3  
a Do 16 " " " S 80° W 33 " "  
Land level S. rate, Beech, Ash, W. Oak &c. Upr.  
Spice &c.

East on Random between Sec. 23 & 26

40.00 set temp. of sec. port

79.30 Intersect N. S. line 17 Ms. S. of port -  
Land level S. rate, timber Beech, Hickory, W.  
Oak &c. Upr. Spice, Ash &c.

West Connected between Sec. 23 & 26

18.07 a W. Oak 22 in. dia.

39.65 set of sec. port at aver. dist. from which  
a W. Oak 17 in. dia. bears S 54° W 33 Ms. dist. 3  
a Beech 16 " " " N 44° E 43 " "

61.41 an Elm 12 " "

## T. 22 N., R. 1 W. 2 E. Mer. Ind.?

Ch. Ch.

79.30 to sec. cor

North between Sec. 22 &amp; 23

22.83 a W. Oak 24 in. dia.

40.00 set of sec. port from which

a W. Oak 22 in. dia. bears S 50 E 25 Ms. dist. 8

an Elm 24 " " " N 50 W 50 " "

61.77 a Beech 14 " "

80.00 set port cor. of sec. 14, 15, 22 &amp; 23 from which

a Sycamore 17 in. dia. bears N 59 W 18 Ms. dist. 8

a W. Oak 18 " " " S 2 E 73 " "

Land level 2. rate, timber Elm, Beech, W. Oak,

Sugar &amp; Upr. Spice, P. Ash &amp;c.

East on Random between Sec. 14 &amp; 23

4.43 a Stream 70 Ms. wide course W. shallow &amp; gentle

29.00 a Do 60 " " " S 2 W " " "

40.00 set temp. g. sec. port

78.57 Intersect N. S. line 16 Ms. S. of port -

Level 2. rate land, timber Beech, Elm, W. Oak &amp;c.

Upr. Spice, Ash, Ironwood &amp;c. May 20. 1821

West Connected between Sec. 14 &amp; 23

20.36 a W. Oak 24 in. dia.

39.28 set of sec. port at aver. dist. from which

an Elm 36 in. dia. bears S 8 W 3 Ms. dist. 8

a Beech 24 " " " N 8 E 50 " "

58.44 a Do 20 " "

78.57 to sec. cor.

North between Sec. 14 &amp; 15

0.82 a Stream 50 Ms. wide course W. shallow &amp; gentle

19.80 a Beech 24 in. dia.

40.00 set of sec. port from which

a W. Oak 24 in. dia. bears S 84 W 25 Ms. dist. 8

a Buckeye 8 " " " S 20 E 15 " "

T. 22 N., R. 1 W. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

Chs. Shs.

61.04 a P. Oak 40 in. dia.

80.00 set posts cor. of sec. 10, 11, 14 & 15 from which  
a Beech 20 in. dia. bears N 49 W 19 Ms. dist. 3

a Hickory 6 " " " S 42 E 40 " "

Land level 2<sup>d</sup> rate, timber W. Oak, Beech, Elm,  
Hickory & Upr. Spice, Ironwood, Beech &

East on Random between Sec. 11 & 14

40.00 set temp. g. sec. post

77.93 Intersect N. H. line 33 Ms. N. of post -

Land level 2<sup>d</sup> rate, timber W. Oak, Ash, Beech, Elm,  
Sugar & Upr. Spice &

West Connected between Sec. 11 & 14

38.96 1/2 set g. sec. post at av. dist. from which

a Beech 16 in. dia. bears S 66 1/2 W 38 Ms. dist. 3

a Do 18 " " " N 66 1/2 E 29 " "

62.71 a Buckeye 14 in. dia.

77.93 to sec. cor.

North between Sec. 10 & 11

19.10 a W. Oak 36 in. dia.

40.00 set g. sec. post from which

a W. Oak 40 in. dia. bears S 26 E 10 Ms. dist. 3

an Elm 8 " " " N 51 W 13 " "

62.70 a Do 30 " "

80.00 set post cor. of sec. 2, 3, 10 & 11 from which

a Hornbeam 6 in. dia. bears S 79 E 4 Ms. dist. 3

a Buckeye 7 " " " N 79 W 6 " "

Land level, timber Beech, Ash, Sugar, Elm,  
Hickory, W. Oak & Upr. Spice, Ash, P. Ash, Beech &

East on Random between Sec. 2 & 11

40.00 set temp. g. sec. post

77.37 Intersect N. H. line 44 Ms. N. of post -

Land level 2<sup>d</sup> rate, timber Ash, Beech, W. Oak,



## T. 22 N., R. 1 W. 2. Mer. Ind.?

Ch. 24.

Elm &amp; Upr. Spice, Beech, Ash, P. Ash &amp;c

## West Connected between Sec. 2 &amp; 11

19.48 an Aspen 12 in. dia.

38.68 ft set of sec. part at aver. dist. from which  
a Poplar 8 in. dia. bears N 86° W 19 lbs. dist. 3  
and iron? 7 " " " S 67° E 20 " "

57.27 a Beech 10 " "

77.37 to sec. cor. May 21. 1821

## North between Sec. 2 &amp; 3

18.52 a Hickory 20 in. dia.

40.00 set of sec. part from which  
a W. Oak 22 in. dia. bears S 54° E 19 lbs. dist. 3  
a Sugar 14 " " " S 37° W 22 " "

61.71 a Hickory 20 " "

80.59 Intersect N. Boundary 231 lbs. E. of part -  
set part at intersection cor. of sec. 2 & 3 from which  
a Sugar 14 in. dia. bears S 38° W 7 lbs. dist. 3  
a Do 15 " " " N 28° E 29 " "  
Land level 1<sup>st</sup> rate, timber Beech, Ash, Walnut,  
& Upr. Spice &c

## North between Sec. 33 &amp; 34

18.80 a W. Oak 40 in. dia.

40.00 set of sec. part from which  
a Walnut 24 in. dia. bears N 31° E 40 lbs. dist. 3  
a Beech 30 " " " S 31° W 40 " "

59.39 a Hornbeam 5 in. dia.

60.70 a Stream 70 lbs. wide course W. shallow &amp; gentle

80.00 set part cor. of sec. 27, 28, 33 & 34 from which  
a Beech 18 in. dia. bears S 63° W 40 lbs. dist. 3  
a Do 12 " " " N 77° E 5 " "Land level 1<sup>st</sup> rate, timber Ash, Sugar, Walnut,  
W. Oak & Upr. Spice, Sugar &c

T. 22 N., R. 1 W., S. Mer Ind<sup>a</sup>.

Elev. Elev.

East on Random between Sec. 27 &amp; 34

- 39.09 a Spring by the side of a stream  
 39.50 a Stream 60 M. wide course S 45° W. shallow & gentle  
 40.00 set temp. g. sec. post in the middle of a stream  
 45.69 a Stream 60 M. wide course N 45° W. rapid & shallow  
 70.28 a Do 30 ; ; ; S 35° W. rapid & deep  
 75.90 a Do 30 ; ; ; S. rapid  
 79.56 Intersect N. S. line 1/2 M. S. of post -  
 Land 1<sup>st</sup> rate, level, timber Walnut, Beech, Buckeye,  
 Sugar & Upr. Spruce &
- 

West Connected between Sec. 27 &amp; 34

- 22.01 a Sugar 8 in. dia.  
 39.75 set g. sec. post at aver. dist. from which (post in stream)  
 a Hornbeam 19 in. dia. bears N 84° W 67 M. dist. &  
 a Buckeye 12 ; ; ; S 14° E 72 ; ;  
 59.07 a W. Oak 24 ; ;  
 79.56 to sec. cor.
- 

North between Sec. 27 &amp; 28

- 21.92 a Beech 24 in. dia.  
 40.00 set g. sec. post from which  
 an Ash 18 in. dia. bears N 88° W 70 M. dist. &  
 a Beech 15 ; ; ; S 88° E 48 ; ;  
 80.00 set post cor. of sec. 21, 22, 27 & 28 from which  
 a Beech 20 in. dia. bears S 34° W 19 M. dist. &  
 a Sycamore 20 ; ; ; N 3 1/2° E 14 ; ;  
 Land level 1<sup>st</sup> rate, timber Walnut, Ash, Sugar  
 & Upr. Spruce &
- 

East on Random between Sec. 22 &amp; 27

- 40.00 set temp. g. sec. post  
 79.31 Intersect N. S. line 18 M. N. of post -  
 Land level 2<sup>nd</sup> rate, timber Ash, W. Oak, Beech  
 & Upr. Spruce, Ironwood & Ash &
-

T. 22 N., R. 1 W. E. Mer. Ind.<sup>a</sup>

Ch. 24.

West Connected between Sec. 22 &amp; 27

19.31 an Elm 20 in. dia.

39.65 set of sec. post at aver. dist. from which

a Beech 16 in. dia bears N 70 E 11 lbs. dist. 8

a Do 15 " " " S 59 W 32 " "

59.00 a Do 12 " "

79.31 to sec. cor.

North between Sec. 21 &amp; 22

23.42 a Sugar 10 in. dia.

30.47 a Stream 75 lbs. wide course W. gentle &amp; shallow

40.00 set of sec. post from which

a W. Oak 40 in. dia bears N 51 W 55 lbs. dist. 8

a Do 36 " " " S 14 W 21 " "

59.50 a Do 40 " "

80.00 set post cor. of sec. 15, 16, 21 &amp; 22 from which

a Beech 16 in. dia bears N 21 E 35 lbs. dist. 8

a Do 18 " " " S 50 W 16 " "

Land level 2<sup>d</sup> rate, timber W. Oak, Beech, Sugar,  
Hickory & V. Upr. Spice, Ironwood &c.

East on Random between Sec. 15 &amp; 22

29.00 a Stream 50 lbs. wide course W. gentle &amp; shallow

77.00 a Do 25 " " " W. " " "

79.28 Intersect N &amp; S line 2 lbs. N. of post—

Land 1<sup>st</sup> & 2<sup>d</sup> mile low & wet, 2<sup>d</sup> mile good 2<sup>d</sup> rate  
level, timber Oak, Beech, Ash, Elm, Sycamore  
& V. Upr. P. Ash, Beech &c.

West Connected between Sec. 15 &amp; 22

20.44 a Beech 15 in. dia.

39.64 set of sec. post at aver. dist. from which

an Elm 32 in. dia bears S 65 W 32 lbs. dist. 8

a blackberry 32 " " " S 29 E 32 " "

60.80 an Ash 18 " "

79.28 to sec. cor. / May 22, 1821

## T. 22 N., R. 1 W. E. Mer. Ind. a

Chs. Lhs.

North between Sec. 15 &amp; 16

19.20 a Sugar 18 in. dia.

40.00 set g. sec. post from which

a W. Oak 28 in. dia. bears S 71 W 19 lbs. dist. 3

an Ironwood 9 " " " N 61 E 43 " "

61.58 a R. Oak 28 " "

80.00 set post cor. of sec. 9, 10, 15 &amp; 16 from which

a W. Oak 28 in. dia. bears N 16 E 46 lbs. dist. 3

a Lr 26 " " " N 29 W 52 " "

Land level 1<sup>st</sup> rate, timber B. Walnuts, Beech, Ash,  
Sugar & V. Upr. Spice & V.

East in Random between Sec. 10 &amp; 15

40.00 set temp. g. sec. post

78.94 Interest N. &amp; S. line 22 lbs. N. of post -

Land level 2<sup>nd</sup> rate, timber Beech, W. Oak, Ash,  
Hickory, Hackberry & V. Upr. Spice, Ash & V.

West Connected between Sec. 10 &amp; 15

20.22 a Beech 19 in. dia.

39.47 set g. sec. post at arm. dist. from which

a Beech 16 in. dia. bears S 62 W 19 lbs. dist. 3

a Lr 12 " " " N 73 E 17 " "

59.39 a W. Oak 20 " "

78.94 to sec. cor.

North between Sec. 9 &amp; 10

21.21 a R. Oak 18 in. dia.

40.00 set g. sec. post from which

a R. Oak 20 in. dia. bears N 19 W 33 lbs. dist. 3

a Sycamore 28 " " " S 11 E 55 " "

68.72 a Hickory 10 " "

80.00 set post cor. of sec. 3, 4, 9 &amp; 10 from which

a R. Oak 20 in. dia. bears S 35 E 9 lbs. dist. 3

a Hickory 11 " " " S 14 E 18 " "

Land flat 2<sup>nd</sup> rate, timber Beech, W. Oak, Hickory,



T. 22 N., R. 1 W. T. Mer. Ind. a

Ch. 2 W.

Hackberry &amp; Upr. P. Ark, Beech, Ironwood &amp;c.

East on Random between Sect. 3 &amp; 10

40.00 set temp. g. sec. post

79.50 Intersect N. S. line 27<sup>1</sup>/<sub>2</sub> M. N. of post -Land level S. rate, timber Beech, W. Oak, Elm &  
Upr. Spruce, Ark &c.

West Connected between Sect. 3 &amp; 10

19.86 a Beech 20 in. dia.

39.75 set g. sec. post at aver. dist. from which

a Beech 22 in. dia. bears N 86° W 19 M. dist. 8

a W. Oak 24 " " " N 75° E 33 " "

60.62 a R. Oak 36 " "

79.50 to sec. cor.

North between Sect. 3 &amp; 4

19.50 a Beech 20 in. dia.

40.00 set g. sec. post from which

an Elm 22 in. dia. bears N 80° E 13 M. dist. 8

a Beech 19 " " " S 64° W 20 " "

58.70 a R. Oak 28 " "

80.39 Intersect N. Braudway 45<sup>1</sup>/<sub>2</sub> M. E. of post -

set post at intersection cor. of sect. 3 &amp; 4 from which

a R. Oak 30 in. dia. bears S 10° W 8<sup>1</sup>/<sub>2</sub> M. dist. 8

a Do 16 " " " S 57° E 34 " "

Land level S. rate, timber Beech, W. Oak, Elm,  
Upr. Beech, Ark &c. May 23, 1821

North between Sect. 32 &amp; 33

20.75 a Sugar 20 in. dia.

40.00 set g. sec. post from which

a Beech 24 in. dia. bears S 53° W 15 M. dist. 8

a Hickory 28 " " " N 26° E 20 " "

67.06 a W. Oak 20 " "

69.95 a Stream 63 M. wide cross N 65° W. gentle &amp; shallow

## T. D. N., R. 1 W. 2. Mer. Ind. a

Ch. &amp; Ch.

80.00 set post cor. of sec. 28, 29, 32 & 33 from which  
 a Poplar 18 in. dis. bears N 66 E 30 lbs. dist. 8  
 an Ironwood 8 " " North 37 " "  
 Land flat & wet 2. rate, timber Beech, Elm, Sycamore  
 Upr. P. Ash, Beech &c.

## East in Random between Sec. 28 &amp; 33

12.60 a Stream 75 lbs. wide course N 82 W. rapid & shallow

40.00 set temp. of sec. post

55.18 a Stream 60 lbs. wide course N 75 W gentle & shallow

79.70 Intersect N. S. line 4 lbs. S. of post -

Land level 2. rate, timber Ash, Beech, W. Oak &c.  
 Upr. Beech, Ash &c.

## West corner between Sec. 28 &amp; 33

25.50 a Beech 24 in. dis.

39.85 set of sec. post at area. dist. from which  
 an Ironwood 6 in. dis. bears East 36 lbs. dist. 8  
 a Beech 16 " " " West 34 " "

65.07 a Do 14 " "

79.70 to sec. cor.

## North between Sec. 28 &amp; 29

7.50 a Stream 90 lbs. wide course N 45 W gentle 6 feet deep

19.88 a Sugar 7 in. dis.

40.00 set of sec. post from which  
 a Buckeye 16 in. dis. bears N 84 E 43 lbs. dist. 8  
 an Ash 10 " " " N 79 W 19 " "

58.89 a W. Oak 30 " "

80.00 set post cor. of sec. 20, 21, 28 & 29 from which  
 a Beech 16 in. dis. bears N 78 W 20 lbs. dist. 8  
 a Do 16 " " " N 87 E 42 " "  
 1<sup>st</sup> 1/4 mile swampy, W. Oak, Upr. Ash &c. 2<sup>nd</sup> 1/2  
 mile 1<sup>st</sup> rate, timber Walnut, Ash, Sugar &c.  
 Upr. Spice &c.

## T. 22 N., R. 1 W. 2. Mer. Ind.?

Ch. L.A.

East on Random between Sec. 21 &amp; 28

40.00 set temp. g. sec. post

80.37 Intercept N.E. line 46 Ms. S. of post -

Land level 2. rate, timber W. Oak, Poplar,  
Beech, Elm & Upr. Ash, Beech, Spice &c.

West Corrected between Sec. 21 &amp; 28

22.24 a Sugar 12 in. dia.

40.18 1/2 set g. sec. post at aver. dist. from which

a Hickory 12 in. dia. bears S 48 E 28 Ms. dist. 18

a Beech 14 " " " N 75 W 6 " "

61.94 a Do 16 " "

80.37 to sec. cor.

North between Sec. 20 &amp; 21

22.24 a Sugar 12 in. dia.

38.56 a Spring of excellent water

39.93 a Stream 60 Ms. wide course - shallow &amp; rapid

40.00 set g. sec. post from which

a W. Oak 15 in. dia. bears S 72 E 40 Ms. dist. 18

a Hackberry 16 " " " S 80 W 33 " "

65.00 a Beech 12 " "

80.00 set post cor. of sec. 16, 17, 20 &amp; 21 from which

a W. Oak 18 in. dia. bears S 5 E 15 Ms. dist. 8

a Beech 14 " " " N 67 W 43 " "

Land 2. rate, timber W. Oak, Hickory, Sugar  
& Upr. Ash, Spice &c. May 25. 1821

East on Random between Sec. 16 &amp; 21

40.00 set temp. g. sec. post

80.32 Intercept N.E. line 66 Ms. S. of post -

Land 1 1/2 mile swampy 2. rate, 2 1/2 mile  
2. rate, timber W. Oak, Ash, Beech & Upr.  
Ash, Beech, P. Ash

West Corrected between Sec. 16 &amp; 21

## T. 22. N., R. 1 W. E. Mer. Ind. a

Elev. Lks.

24.55 an Elm 20 in. dia.

40.16 set gr. sec. post at aver. dist. from which  
 an Elm 24 in. dia. bears S 32 E 12 Ms. dist. 8  
 a Gum 23 " " " N 52 W 23 " "

61.64 a Beech 12 " "

80.32 to sec. cor.

North between Sec. 16 &amp; 17

14.12 a Stream 30 Ms. wide course N 75 W gentle &  
 shallow

18.08 an Ash 26 in. dia.

40.00 set gr. sec. post from which  
 a Beech 20 in. dia. bears N 37 E 18 Ms. dist. 8  
 a Do 11 " " " S 85 E 34 " "

68.13 a Do 14 " "

80.00 set post cor. of sec. 8, 9, 16 & 17 from which  
 a Beech 9 in. dia. bears N 23 E 25 Ms. dist. 8  
 a Do 10 " " " S 2 W 29 " "

Land level 2<sup>d</sup> rate, timber Beech, W. Oak,  
 Hickory & Upr. Spruce, Ironwood &  
 May 26. 1827

East on Random between Sec. 9 &amp; 16

40.00 set temp. gr. sec. post

79.80 Intersect N. S. line 16 Ms. S. of post

Land level 2<sup>d</sup> rate, timber Ash, R. & W. Oak,  
 Beech & Upr. Spruce, Ash &

West Corrected between Sec. 9 &amp; 16

19.62 <sup>a R. Oak 22 in. dia.</sup> set gr. sec. post at aver. dist. from which

39.90 a Beech 20 in. dia. bears S 65 W 24 Ms. dist. 8  
 a R. Oak 30 " " " N 76 E 37 " "

79.69 a Sugar 16 " "

79.80 to sec. cor.

North between Sec. 8 &amp; 9



## T. 22 N., R. 1 W. E. Mer. Ind.

Ch. 1. Sta.

20.38 a W. Oak 16 in. dia.

40.00 set q. sec. post from which

a W. Oak 34 in. dia. bears S 30 E 27 W. dist. 8

a Beech 14 " " " S 85 W 35 " "

64.08 a Do 16 " "

80.00 set post cor. of sec. 4, 5, 8 &amp; 9 from which

a Beech 15 in. dia. bears N 34 E 21 W. dist. 8

a Do 10 " " " S 60 W 10 " "

Land level 2. rate, timber Hickory, W. Oak,  
Beech, R. Oak & W. Ash, Beech &

May 27. 1821

East on Random between Sec. 4 &amp; 9

40.00 set temp. q. sec. post

79.44 Intersect N. S. line 11 W. S. of post -

Land level 2. rate, timber Ash, Beech, Sugar  
S. W. Ironwood, Beech &

West corrected between Sec. 4 &amp; 9

23.81 a Sugar 16 in. dia.

39.72 set q. sec. post at aver. dist. from which

a W. Oak 20 in. dia. bears S 87 W 12 W. dist. 8

a Do 12 " " " N 55 E 22 " "

58.36 a Beech 22 " "

79.44 to sec. cor.

North between Sec. 4 &amp; 5

23.09 a Beech 23 in. dia.

40.00 set q. sec. post from which

a Beech 16 in. dia. bears N 18 E 14 W. dist. 8

a W. Oak 14 " " " S 15 W 33 " "

65.37 a Spruce 22 " "

81.00 Intersect N. Boundary 45 W. E. of post -

set post at intersection cor. of sec. 4 &amp; 5 from which

a W. Oak 28 in. dia. bears S 72 W 11 W. dist. 8

a Do 18 " " " S 42 E 35 " "

## T. 22 N., R. 1 W. 2 E. Mer. Ind. a

Chas. L. G.

Land level 2. rate, timber W. Oak, Hickory, Beech  
 & Upr. Ash, Beech &c. May 28. 1821

North between Sec. 31 &amp; 32

31.02 an Elm 12 in. dia.

40.00 set of sec. post from which

a Beech 20 in. dia. bears S 11 W 43 Ms. dist. 8

a B. Walnut 5 " " " N 28 E 5 " "

80.00 set post cor. of sec. 29, 30, 31 &amp; 32 from which

a Sugar 20 in. dia. bears S 35 E 44 Ms. dist. 8

a Do 14 " " " " N 39 W 53 " "

Land level 2. rate, timber W & R. Oak, Elm,  
 Hickory &c. Upr. Ironwood, Spice &c.

East in Random between Sec. 29 &amp; 32

40.00 set temp. of sec. post

79.41 Intersect N. L. line 14 Ms. N. of post -

Land level good 2. rate, timber Sugar, Ash,  
 W & R. Oak &c. Upr. Spice, Beech &c.

West Corrected between Sec. 29 &amp; 32

18.07 a Beech 28 in. dia.

39.70 set of sec. post at aver. dist. from which

a Beech 14 in. dia. bears S 35 E 28 Ms. dist. 8

a W. Oak 20 " " " " S 64 W 28 " "

69.03 an Ironw. 7 " "

79.41 to sec. cor.

North between Sec. 29 &amp; 30

24.50 a Poplar 30 in. dia.

40.00 set of sec. post from which

a W. Ash 38 in. dia. bears N 33 E 30 Ms. dist. 8

a W. Oak 16 " " " " S 33 W 34 " "

45.30 a ~~Walnut~~ a Stream 75 Ms. wide course W.  
 gentle & shallow

66.34 a B. Walnut 30 in. dia.

## T. 22 N., R. 14 W. 2. Me. Ind. a

Ch. Lk.

80.00 set post cor. of sec. 19, 20, 29 & 30 from which  
 a B. Walnut 24 in. dia. bears S 81 W 29 lbs. dist. 3  
 a Sugar 11 " " " N 42 E 23 " "  
 Level, 1<sup>st</sup> 1/2 mile S. rate, timber Beech, W. Oak,  
 Elm & 2<sup>nd</sup> 1/2 mile T. rate, timber B. Walnut,  
 Sugar, Ash, Buckeye & Upr. Spruce.

## East on Random between Sec. 20 &amp; 29

40.00 set temp. g. sec. post

79.60 intersect N. &amp; S. line 6 lbs. N. of post -

Land level T. rate, timber B. Walnut, Sugar,  
 Ash, Buckeye - Upr. Spruce.

## West corrected between Sec. 20 &amp; 29

18.87 a R. Oak 26 in. dia.

39.80 set g. sec. post at aver. dist. from which  
 a Sugar 14 in. dia. bears S 52 W 30 lbs. dist. 3  
 a Beech 24 " " " N 58 E 22 " "

58.80 a Dr 14 " "

79.60 to sec. cor.

## North between Sec. 19 &amp; 20

21.85 a B. Walnut 32 in. dia.

40.00 set g. sec. post from which  
 a Hickory 22 in. dia. bears S 4 E 42 lbs. dist. 3  
 a Sycamore 28 " " " N 49 W 29 " "

64.13 a Stream 75 lbs. wide course W

69.83 a R. Oak 28 in. dia.

80.00 set post cor. of sec. 17, 18, 19 & 20 from which  
 a Poplar 30 in. dia. bears N 61 W 5 lbs. dist. 3  
 a Sugar 20 " " " S 61 E 31 " "  
 Land level T. rate, timber B. Walnut, Ash, Sugar,  
 Buckeye & Upr. Spruce.

## East on Random between Sec. 17 &amp; 20

38.05 a Stream 8 lbs. wide course S 80 W shallow &amp; gentle

T. D. N., R. W. L. Miller. Ind. &

Chas. L. H.

40.00 set temp. g. sec. port  
 42.00 a Stream 30 W. wide course S 85° W. shallow & gentle  
 79.44 Intersect N & S. line 7 W. N. of port -  
 Land level good L. rate, timber Beech, W. Oak, Ash &  
 Upr. Spice & May 29. 1821

West Connected between Sec. 17 & 20

18.60 a Sugar 16 in. dia.  
 39.72 set g. sec. port at aver. dist. from which  
 an Elm 19 in. dia. bears N 83° W 43 W. dist. 8  
 a Buckeye 8 " " " S 74° W 20 " "  
 69.37 a Beech 24 " "  
 79.44 to sec. cor.

North between Sec. 17 & 18

27.66 a Sugar 10 in. dia.  
 40.00 set g. sec. port from which  
 a Beech 14 in. dia. bears S 18° W 2 W. dist. 8  
 a Do 12 " " " N 43° E 27 " "  
 56.32 a W. Oak 22 " "  
 80.00 set port cor. of sec. 7, 8, 17 & 18 from which  
 a Hickory 8 in. dia. bears South 4 W. dist. 8  
 an Elm 15 " " " N 61° E 36 " "  
 Land level good L. rate, timber W. Oak, Sugar  
 Ash & Upr. Spice, Ash &

East on Random between Sec. 8 & 17

40.00 set temp. g. sec. port  
 79.00 Intersect N & S. line 69 W. N. of port -  
 Land swampy, timber Elm, S. Ash, Beech,  
 Upr. Ironwood &

West Connected between Sec. 8 & 17

20.42 an Ironwood 8 in. dia.  
 39.50 set g. sec. port at aver. dist. from which  
 a Beech 15 in. dia. bears N 53° W 25 W. dist. 8



## T. 22 N., R. 1 W. 2 E. Mer. Ind. a

Ch. Lk.

a Beech 14 in. dia. bears S 7 E 24 W. dist.

60.02 a Do 12 " "

79.00 to sec. cor.

## North between Sect. 7 &amp; 8

24.96 an Elm 18 in. dia.

40.00 set g. sec. post from which

a Sugar 18 in. dia. bears S 46 W 32 W. dist. 8

a Poplar 10 " " " N 25 E 17 " "

59.50 a W. Oak 30 " "

80.00 set post cor. of sec. 5, 6, 7 &amp; 8 from which

an Elm 16 in. dia. bears N 5 W 23 W. dist. 8

a Do 20 " " " S 37 W 39 " "

Land swampy, timber S. Ash, Beech, Spruce,  
Wyl. Beech, Ironwood &c. May 30. 1821

## East on Random between Sect. 5 &amp; 8

40.00 set temp. g. sec. post

78.76 Intersect N. &amp; S. line 43 W. N. of post -

Land poor & swampy, timber S. Ash, W. Oak,  
Beech &c. Wyl. P. Ash &c.

## West Connected between Sect. 5 &amp; 8

18.20 an Ironwood 6 in. dia.

39.38 set g. sec. post at aver. dist. from which

a Hickory 14 in. dia. bears N 69 W 8 W. dist. 8

an Ironwood 10 " " " N 61 E 28 " "

57.94 a W. Ash 6 " "

78.76 to sec. cor.

## North between Sect. 5 &amp; 6

20.12 a Sugar 14 in. dia.

40.00 set g. sec. post from which

an Ironwood 6 in. dia. bears N 15 E 10 W. dist. 8

a Do 6 " " " S 9 W 45 " "

58.00 a R. Oak 24 " "

## T. 22 N., R. 1 W. 2. Mer. Ind. a.

Ch. 26.

80.10 Intersect N. Boundary 480 W. E. of post —  
 set post at intersection cor. of sec. 5 & 6 from which  
 a W. Oak 30 in. dia. bears S 30 E 15 W. dist. 3  
 an Ironwood 6 " " " S 81 W 23 " "  
 Land 2<sup>d</sup> rate, timber W. Oak, Elm, Beech & Upr.  
 Beech, Ironwood &.

West between Sec. 6 &amp; 7

32.32 a Poplar 42 in. dia.

40.00 set g. sec. post from which  
 a Poplar 20 in. dia. bears N 20 E 22 W. dist. 3  
 an Ironwood 8 " " " S 28 W 20 " "

No sight tree

78.03 Intersect W. Boundary 145 W. S. of post —  
 set post at intersection cor. of sec. 6 & 7 from which  
 a W. Oak 14 in. dia. bears N 51 E 44 W. dist. 3  
 a Do 20 " " " S 51 W 25 " "  
 Land level good 2<sup>d</sup> rate, timber B. Walnut,  
 Poplar, Sugar & Upr. Spruce.

West between Sec. 7 &amp; 18

23.07 a Poplar 30 in. dia.

40.00 set g. sec. post from which  
 a W. Oak 20 in. dia. bears S 28 W 25 W. dist. 3  
 a Do 22 " " " N 22 E 26 " "

68.87 an Elm 24 " "

77.36 Intersect W. Boundary 130 W. S. of post —  
 set post at intersection cor. of sec. 7 & 18 from which  
 a W. Oak 20 in. dia. bears N 25 E 14 W. dist. 3  
 a W. Ash — " " " S 23 W 7 " "  
 Land level 2<sup>d</sup> rate, timber W. Oak, Elm, Beech  
 & Upr. Hickory &.

West between Sec. 18 &amp; 19

25.92 a Beech 12 in. dia.

40.00 set g. sec. post from which

## T. 22 N., R. 1 W. E. Mer. Ind. a.

6th. 28th.

a W. Oak 25 in. dia. bears N 40 E 31 lbs. dist. 8

a Beech 14 " " " S 40 W 28 " "

65.23 a Hickory 16 " "

76.54 Intersect W. Boundary 131 lbs. S. of port -

set port at intersection cr. of sec. 18 &amp; 19 from which

a W. Oak 28 in. dia. bears N 42 E 36 lbs. dist. 8

a Sugar 26 " " " S 27 W 29 " "

Land level T. rate, timber W. Oak, Beech, Hickory,  
v. Upr. Spice, Beech v.

West between Sec. 19 &amp; 30

24.73 a Sugar 24 in. dia.

40.00 set g. sec. port from which

an Elm 23 in. dia. bears N 70 E 3 lbs. dist. 8

a Sugar 14 " " " S 70 W 32 " "

62.27 a Hickory 12 " "

76.08 Intersect W. Boundary 240 lbs. S. of port -

set port at intersection cr. of sec. 19 &amp; 30 from

which a Sugar 24 in. dia. bears West 8 lbs. dist. 8

a Do 20 " " " S 22 E 29 " "

Land level T. rate, timber B. Walnut, Ash,  
Sugar v. Upr. Spice v.

West between Sec. 30 &amp; 31

26.31 a W. Oak 30 in. dia.

40.00 set g. sec. port from which

a Beech 18 in. dia. bears N 88 E 25 lbs. dist. 8

a Do 18 " " " S 88 W 21 " "

57.87 a Do 18 " "

75.19 Intersect W. Boundary 85 lbs. S. of port -

set port at intersection cr. of sec. 30 &amp; 31 from which

a Poplar 40 in. dia. bears North 55 lbs. dist. 8

a Beech 20 " " " S 34 W 18 " "

Land level good T. rate, timber Beech, Sugar,  
B. Walnut v. Upr. Spice v. May 31. 1821

Josiah F. Polk, Dep. Surveyor

I certify that the foregoing transcript of  
Field Notes of the survey of Township N. 22 North,  
in Range N. 1 West of the 2<sup>d</sup> Principal Meridian,  
in the State of Indiana, has been compared with  
the original on file in this office, and found to  
be correct.

Surveyor General's Office,  
Cincinnati, Sept. 13, 1842 }

William Johnston  
Sur. Genl.